



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/766,842	01/30/2004	Rabih Abou-Chakra	Q79655	3849
23373 7590 06/10/2010				
SUGHRUE MION, PLLC				
2100 PENNSYLVANIA AVENUE, N.W.				
SUITE 800				
WASHINGTON, DC 20037				
EXAMINER				
BARON, HENRY				
ART UNIT		PAPER NUMBER		
2462				
NOTIFICATION DATE		DELIVERY MODE		
06/10/2010		ELECTRONIC		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

sughrue@sughrue.com

PPROCESSING@SUGHRUE.COM

USPTO@SUGHRUE.COM

Office Action Summary

Application No.

10/766,842

Applicant(s)

ABOU-CHAKRA ET AL.

Examiner

HENRY BARON

Art Unit

2462

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 19 April 2010.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-13 and 15-16 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-13 and 15-16 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/GS/US)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

Detailed Action

AUDIO AND VIDEO DATA PROCESSING DEVICE FOR MULTIMEDIA COMMUNICATION VIA A LOCAL NETWORK SET UP WITHIN AN ASYNCHRONOUS NETWORK

Response to Arguments/Remarks

1. Claims 1 – 13 and 15 – 16 are pending in the application.
2. Applicant arguments of 04/19/2010 after the final action have been fully considered and were persuasive. Examiner has re-opened prosecution.

Double Patenting

3. A rejection based on double patenting of the "same invention" type finds its support in the language of 35 U.S.C. 101 which states that "whoever invents or discovers any new and useful process ... may obtain a patent therefor ..." (Emphasis added). Thus, the term "same invention," in this context, means an invention drawn to identical subject matter. See *Miller v. Eagle Mfg. Co.*, 151 U.S. 186 (1894); *In re Ockert*, 245 F.2d 467, 114 USPQ 330 (CCPA 1957); and *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970).
4. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would

Art Unit: 2462

have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

5. A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

6. Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

7. Application claim 1 is rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1 and 4 of U.S. Patent No. 7483523, hereafter '523. Although the conflicting claims are not identical, they are not patentably distinct from each other because application claim 1 is broader.

8. With regards to application claim 1, '523 teaches of an Audio and video data processing device for multimedia communication, via an asynchronous network with random transmission times, between a first pair consisting of a first audio communication terminal and a first video communication terminal, a second pair consisting of a second audio communication terminal and a second video communication terminal, the said terminals being of the LAN type, where at least the first pair consists of independent and asynchronous terminals, and the processing device includes, in association with this first pair, connection means for the setting up of: ('523 claim 1 A management apparatus for managing multimedia calls set up at least via one of an asynchronous network or a traditional telephone network between a first

Art Unit: 2462

video communications terminal associated with a first audio communications terminal and a second video communications terminal associated with a second audio communications terminal, comprising: management means for receiving a request to set up a telephone link between said first and second audio communications terminals via said traditional telephone network when the first and second video communications terminals request to set up a multimedia link to transmit at least video data via the asynchronous network.) a video link between these connection means and the video terminal of the first pair, ('523 Claim 4 read The apparatus according to claim 1, wherein said management means is arranged, on receiving the request to set up the telephone link between said first and second audio communications terminals: to order said link means to set up the telephone link between said first and second audio communications terminals to exchange audio data; and to apply to said audio data exchanged via said telephone link a transmission delay to compensate at least in part for a difference in transmission duration between said audio data exchanged via said telephone link, and the video data exchanged between said first and second video communications terminals via the multimedia link set up via said asynchronous network..)

9. Broader application claim 1 cites an audio and video data processing device for multimedia communication but omits the '523 claim 1 citation of one of an asynchronous network or a traditional telephone network.

10. It would have been obvious at the time the invention was made by a person of to having ordinary skill in the art to modify the application claim 1 to include one of an asynchronous network or a traditional telephone network.

11. In this manner, the system could be used in an asynchronous network or a traditional telephone network.

Claim Rejections - 35 USC § 112

12. The following is a quotation of the second paragraph of 35 U.S.C. 112:

Art Unit: 2462

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

13. Claims 1 – 13 and 15 – 16 rejected under 35 U.S.C. 112, second paragraph, as being incomplete for omitting essential structural cooperative relationships of elements, such omission amounting to a gap between the necessary structural connections. See MPEP § 2172.01.

14. The omitted structural cooperative relationships are: Claim 1 cites 'a video link between these connection means'. The Examiner interprets this limitation to claim means-plus-function as in 112, sixth paragraph. However 'connection means' does not use the term 'means for' e.g. a video link between these connection means, an audio link between these connection means etc., See MPEP 2181 (A) first of three prong analysis.

15. In a similar manner, claim 2 cites 'said connection means'. Claim 2 also cites 'their own processing means', where 'their own' is indefinite.

16. Claims 1 – 13 and 15 – 16 are rejected as they use 'connection means' (claims 1 -- 10) or they are directly or indirectly dependent on claim 1.

Claim Rejections - 35 USC § 103

17. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

a. A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

18. Claims 1 – 7, 10 and 15 – 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Danneels et al (U.S. Patent 5663951), hereafter Danneels, in view of Davies (U.S. Patent 7043749).

19. In consideration of claim 1, Danneels teaches of an audio and video data processing device for multimedia communication across an asynchronous network. (Fig 1; Figure Element (FE) 100, FE 110) between a first pair of audio communication terminal (FE 104 and 108) and video communication

Art Unit: 2462

terminal (FE 102 and 106) and a like second pair (FE 100; Conferencing System B) where the terminals are LAN type (4: [0050+]) with connection means for setting up video and audio link of the two pairs (Figure 1; read analog video and audio, Conferencing System A and B) and video and audio links between the two pairs (FE 110 and 4: [0050-0063] Each conferencing system 100 receives, digitizes, and compresses the analog video signals generated by camera 102 and the analog audio signals generated by microphone 104. The compressed digital video and audio signals are transmitted to the other conferencing system via network 110, where they are decompressed and converted for play on monitor 106 and speaker 108, respectively. In addition, each conferencing system 100 may generate and transmit data signals to the other conferencing system 100 for play on monitor 106. The video and data signals are displayed in different windows on monitor 106. Each conferencing system 100 may also display the locally generated video signals in a separate window). The nature of audio and video signals are typically asynchronous, i.e. not synchronous as demonstrated in speech and images, thus the audio and video terminals are asynchronous and wherein the connection means synchronizes audio and video data according to a delay. (2:[0014] read [a] first subset of the data packets i.e. audio packets, is transmitted from the local node to a remote node, and then a subsequent subset of the data packets i.e. video packets, is transmitted from the local node to the remote node after a delay to avoid overloading the remote node with data packets)

20. However Danneels does not explicitly teach of an asynchronous network with random transmission times.

21. By contrast, Ishibashi teaches of a digital network to support multimedia communications that preserves the temporal relation among media stream (Section 1, paragraph 1.). Further, Ishibashi teaches random transmission times where he contrasts his paper to previous work in the field citing that “.. the network delay bounds are not always known.” (Section 1, paragraph 4.).

Art Unit: 2462

22. It would have been obvious at the time the invention was made to a person of ordinary skill in the art to modify the teaching of Danneels with the random transmission times teachings of Ishibashi to form a network of asynchronous audio and video media streams with random transmission times. This would be advantageous since a network synchronization mechanism based on media streams with random transmission times are more realistic in modeling the way packets (or media units) are transported across networks.

23. Danneels and Ishibashi do not disclose where the connection means synchronizes audio and video data according to a delay.

24. Davies teaches where the connection means synchronizes audio and video data according to a delay. (15: [0037] read In Step 3 (FIG. 9), synchronised audio and video are sent to the integrated terminal. The delay the audio and video signals takes to arrive and be decoded by the integrated terminal is time $t_{sub.a}$ 903 and time $t_{sub.b}$ 904 respectively. As the terminal plays out synchronised audio and video time $t_{sub.b}$ 904 is effectively the same as $t_{sub.a}$ 903 (within 10,+-.30 ms). At some point the audio will contain a marker signal that is looped back 930 to the separate audio device to return it to the gateway. The gateway times the audio signal marker between its dispatch and receipt, say time $t_{sub.3}$ 901. For the purposes of this measurement it can be assumed that $t_{sub.x}$ 902 is identical to $t_{sub.x}$ 702 and 802 and the loop back time of the audio signal is zero)

25. It would have been obvious at the time the invention was made to a person of ordinary skill in the art to modify the teaching of Danneels with the random transmission times teachings of Ishibashi and the delay management teachings of Davies to form a network of asynchronous audio and video media streams with random transmission times. This would be advantageous since a network synchronization mechanism based on media streams with random transmission times are more realistic in modeling the way packets (or media units) are transported across networks.

Art Unit: 2462

26. In regards to claim 16, Danneels modified teaches the device according to claim 1, wherein the video data is transmitted from one of the first video communication terminal and the second video communication terminal to a receiving terminal one of the first video communication terminal and the second video communication terminal without delay, and the audio data is delayed by a predetermined time before being transmitted to a receiving audio communication terminal as the delays between the video and audio streams are relative.

27. With regards to claim 2, Danneels does not teach the device according to claim 1 with first dating means arranged to attach a transmit time mark and an identifier to audio and video data; coming from the first audio and video communication terminal before their transmission to the second pair via the said local network and to attach a receive time mark to the audio and video data coming from the second pair and containing an identifier and a transmit time mark, and their own processing means to determine a time difference representing the transmission time difference between the received audio and video data and presenting the same identifier from their respective transmit and receive time marks to delay by a value representing the time difference the transmission of the received audio data at the first audio communication terminal in relation to the transmission of the received video data at the first video communication terminal. Thus, Danneels does not teach connection means synchronizes audio and video data according to a delay.

28. Ishibashi teaches of a device with first dating means that attaches a transmit time mark and an identifier to audio and video (A/V) data before their transmission to the second like A/V terminal pair. (Section 2; Media Synchronization model; read data as media unit; transmit time mark as timestamp; audio and video data as M media streams 1 – M, Figure 1) across the local network (Figure 1; read high speed network) and attach a receive time mark to the audio and video data from the second pair containing an identifier and a transmit time mark. (Section 2; Media Synchronization model; Figure 1 read destination media stream.). Ishibashi also teaches processing means to determine a time difference

Art Unit: 2462

representing the transmission time difference between the received audio and video data (Figure 2; read 'i' as audio or video stream 'i'; sigma as difference between timestamps) and presenting the same identifier, i.e. media stream, from their respective transmit and receive time marks i.e. timestamps, and delay by a value representing the transmission time difference of the received audio data at the first audio communication terminal in relation to the transmission of the received video data at the video communication terminal. (Figure 2; also see discussion on page 1011 regarding inter-stream synchronization and master/slave streams; Section 1 Introduction, read delay as adjust output timing).

29. It would have been obvious at the time the invention was made to a person of ordinary skill in the art to modify the teaching of Danneels with the synchronization teachings of Ishibashi.

30. This modification would be advantageous as it would permit the video and audio packets received across an asynchronous network to be synchronized and presented to the end user in concert.

31. With regards to claims 3 – 4, and 15, Danneels does not of a device with processing means arranged to determine a time difference (ET) representing the transmission time difference and a coding and decoding time difference between the received audio and video data, presenting the same identifier and synchronization of audio and video occurs once at the connection means and once at the pair.

32. Ishibashi teaches of media stream coding and decoding performed in the application layer (Figure 1) that are received at synchronization service access point. Further, Ishibashi teaches of the concept of inter-stream synchronization between master/slave streams. (Section 4.2, page 1015) i.e. synchronization of audio and video occurs once at the connection means and once at the pair. Because less processing is required for audio data, the 'faster' audio stream represents the master stream, the video the slave stream i.e. identifier. (page 1011). Danneels teaches that audio (6: [0024]) and video coding and decoding as part of the process to generate multimedia streams.

33. It would have been obvious at the time the invention was made to a person of ordinary skill in the art to modify the teaching of Danneels with the synchronization teachings of Ishibashi.

Art Unit: 2462

34. This modification would be advantageous as it would further facilitate the video and audio packets received across an asynchronous network to be synchronized and presented to the end user in concert.

35. With regards to claims 5 and 7, Danneels teaches of audio and video links that are of a “deterministic” type in Figure 1; i.e. links between FE 102,106 and FE100 video; links between FE 104,108 and FE 100.

36. In reference to claim 6, Danneels does not teach processing means arranged so as to determine the time difference from the transmit and receive time markings of the received audio and video data, and from values representing their respective transmission times between the connection means and the first audio and video communication terminals for which they are intended.

37. Ishibashi teaches of media stream coding and decoding performed in the application layer (Figure 1) that are received at a common synchronization service access point (SSAP). Danneels teaches of audio and video links that are of a “deterministic” type in Figure 1 whose delays can be sent to the SSAP.

Further, Ishibashi teaches that time difference can be derived from time markings i.e. timestamps between tightly coupled media-streams such as audio and video (Section 4.2.1 and Figure 4). Further, Ishibashi teaches of the concept of inter-stream synchronization between master/slave streams. Because of relative shorter period required to process audio data, the audio stream represents the master stream, the video the slave stream (Page 1011).

38. It would have been obvious at the time the invention was made to a person of ordinary skill in the art to modify the teaching of Danneels with the synchronization teachings of Ishibashi.

39. This modification would be advantageous as it would further facilitate the video and audio packets received across an asynchronous network to be synchronized and presented to the end user in concert.

Art Unit: 2462

40. With regard to claim 10, Danneel's Conference System (Figure 1, FE 100) represents a connection means that provides a proxy type function for audio and video data to the network LAN.
41. Claims 8 and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Danneels et al (U.S. Patent 5663951), hereafter Danneels in view of Ishibashi et al, A Synchronization Mechanism for Continuous Media in Multimedia Communication, INFOCOM '95. Fourteenth Annual Joint Conference of the IEEE Computer and Communications Societies; Bringing Information to People. Proceedings. IEEE 2-6 April 1995 Page(s): 1010 - 1019 vol.3 hereafter Ishibashi, in view of Davies (U.S. Patent 7043749) and in further view of Little et al, Network and Operating Systems Support for Digital Audio and Video: Proceedings, 5th International Workshop on Network and Operating Systems Support for Digital Audio and Video, Springer 1995, hereafter Little.
42. With respect to claims 8 - 9, Danneels and Ishibashi teach the limitations of claim 2 but are silent in teaching assignment of priority levels to audio and video data to be transmitted or assigning a lower priority to video data relative to audio data.
43. By contrast, Little teaches in the traffic characteristics and flow control that video streams have lower priority than higher priority audio, i.e. read jitter as characteristic of audio streams. (Page 168 - 169; Traffic Characteristics and Flow Control section).
44. It would have been obvious at the time the invention was made to a person of ordinary skill in the art to modify inter-stream synchronization between audio and teachings of Danneels and Ishibashi with the audio visual (A/V) priority teachings of Little.
45. By transporting audio streams across a network with a higher priority relative to its companion video stream, the random arrival time of A/V packets at the destination port is mitigated and the distribution of both packet classes are more tightly bounded. This is ultimately advantageous in improving the synchronization of the two data streams.

Art Unit: 2462

46. Claims 11 – 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Danneels et al (U.S. Patent 5663951), hereafter Danneels in view of Ishibashi et al, A Synchronization Mechanism for Continuous Media in Multimedia Communication, INFOCOM '95. Fourteenth Annual Joint Conference of the IEEE Computer and Communications Societies. Bringing Information to People. Proceedings. IEEE 2-6 April 1995 Page(s): 1010 - 1019 vol.3 hereafter Ishibashi, in view of Davies (U.S. Patent 7043749) and in further view of Keshab et al, Digital Signal Processing for Multimedia Systems, CRC Press 1999 pg 245 and 274, hereafter Keshab.

47. With regards to claim 11 – 13 Danneels and Ishibashi teach the limitations of claim 1 but are silent in teaching of processing device for an audio, video, or communication unit.

48. Keshab teaches, circa 1999, of recent developments of microprocessors and DSP chips that provide audio and video processing capabilities (page 245, 2nd paragraph). Further, Keshab teaches that developments of microprocessors can be also be used in wireless communications (page 274, 3rd paragraph).

49. It would have been obvious at the time the invention was made to a person of ordinary skill in the art to modify the inter-stream synchronization between audio and teachings of Danneels and Ishibashi incorporating a digital processing device in the video, audio, and communication unit.

50. Processing audio and video signals with a DSP in the video and audio communication unit improves the fidelity of A/V data and digital processing of communication signals efficiently utilizes bandwidth.

Conclusion

Art Unit: 2462

51. Any inquiry concerning this communication or earlier communications from the examiner should be directed to HENRY BARON whose telephone number is (571)270-1748. The examiner can normally be reached on 7:30 AM to 5:00 PM E.S.T. Monday to Friday.

52. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Seema Rao can be reached on (571) 272-3174. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

53. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/H. B./
Examiner, Art Unit 2462

HB

/Donald L Mills/
Primary Examiner, Art Unit 2462